



Flexible LED light strip, with SMD2835 LEDs, 120LEDs/meter, 20W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (12-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Related items



20032

Physical Specification


Item Group

09 LED Strips & Profiles


Family	The 20W/m Variable Colour Temperature
Order Code	7835/DEW
Shape	Rectangular
Length	5000mm
Width	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	20W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Refond
LED Number	120Leds/m

Illumination Data

Colour Temperature	2700K-6500K
Lumen Output	600lm/m + 800lm/m
Light Efficiency	70lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Length	24cm
Box Width	21,5cm
Box Height	2cm
Box Weight	0,19kg
Pcs/Carton	40
Barcode	5291889054429
HS Code	9405409989

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

