

## Compact Trackspot


The Tubular 60 combines sleek design with high performance in a compact track-mounted spotlight. Its integral driver allows for a clean, minimalist profile. Despite its modest size, the Tubular 60 delivers powerful, precise illumination, making it ideal for modern interiors and commercial spaces where both style and functionality are essential.



### PRODUCT INFORMATION

Colour temperatures	2200K / 2700K / 3000K / 4000K
Dimming options	Mains Dimmable / DALI / Casambi
Beam angle options	15° / 24° / 36° / 50°
CRI	90
Lifetime	61000hrs L70B50
Warranty	50000 hrs
Power	13W
Delivered Lumens	Up to 1436lm
Efficacy	Up to 131lm/w
IP Rating	IP20
Colour	Black / White
Material	Aluminium Body

### DIMENSIONS



## ENGINE OUTPUT DATA

### 2700K

Engine	Drive Current	Circuit Power	Initial Lumens	Delivered Lumens			
				15°	24°	36°	50°
13w	350mA	13.5	1565	1107	1408	1381	1305

### 3000K

Engine	Drive Current	Circuit Power	Initial Lumens	Delivered Lumens			
				15°	24°	36°	50°
13w	350mA	13.5	1627	1149	1463	1435	1357

### 4000K

Engine	Drive Current	Circuit Power	Initial Lumens	Delivered Lumens			
				15°	24°	36°	50°
13w	350mA	13.5w	1703	1199	1532	1503	1420

## AVAILABLE FINISHES

Black			White		
Black Baffle	Gold Baffle	White Baffle	Black Baffle	Gold Baffle	White Baffle



## ACCESSORIES

Black			White		
Black Baffle +HC	Gold Baffle +HC	White Baffle +HC	Black Baffle +HC	Gold Baffle +HC	White Baffle +HC



## SPECIFICATION CODE AND OPTIONS

CODE FORMAT EXAMPLE: TS-00001-BB-13-927-24-LTE+HC

Parent Code - Body Colour / Baffle Colour - Wattage - CRI / CCT - Beam Angle - Dimming Type + Accessories

Tubular 60 TS-00001	Black Body / Black Baffle BB	13w 13	90CRI 2200K 922	15° 15	Mains Dimmable LTE	Honeycomb HC
	Black Body / Gold Baffle BG		90CRI 2700K 927	24° 24	DALI DAL	
	Black Body / White Baffle BW		90CRI 3000K 930	36° 36	Casambi CAS	
	White Body / Black Baffle WB		90CRI 4000K 940	50° 50		
	White Body / Gold Baffle WG					
	White Body / White Baffle WW					